

Experience the superior situational awareness of the PVS-31C-MOD, proudly made by GSCI Advanced Photonics.

This dual-tube goggle system has an ergonomic low-profile design and is equipped with the latest technological advancements and perfected over 30 years of GSCI's engineering experience. Built for durability, it includes a lightweight and rugged housing combined with advanced multi-coated optics for exceptional image quality and can withstand up to the weight of a pick-up truck and a drop from two meters.

Other unique operational features, such as instant IR [Morse Code Capability], standard IR [Map Reading / Zero Light Capability], external battery power port, flip-up off, selective channel engagement and stow safety provide remarkable performance and reliability.

With numerous optional accessories such as magnification lenses, head mounting systems, battery packs (including the MVP-240) and recording devices - it can also accept 1xAA and 1xCR123 batteries - you will find this NVG to be the primary choice of multiple users including law enforcement and military agencies worldwide.

ADVANTAGES OF THE PVS-31C-MOD





PVS-31C-MOD

TECHNICA	L DATA [‡]
Optical Magnification	1X
Objective Lens Focal Length	27mm
Field Of View ^{##}	40°
Focusing Range	0.25m Infinity
Diopter Adjustment Range	-6+2
Interpupillary Adjustment	50mm 90mm
Built-In IR Illuminator	Yes, 950nm
Momentary IR-On Button	Yes
IR-On Indicator	Yes
Manual Gain Control (MGC)	Optional
3-Position Switch	Yes: Off / On / IR
Bright Light Protection	Yes
Bright Light Sensor	Yes
Low Battery Indicator	Yes: concealed into FOV
Stow Safety Feature	Yes
Flip-Up-Off Feature	Yes
Selective Channel Engagement	Yes
Power Source *	1pc AA / 1pc CR123 / MVP-240
Battery Life on 1x AA / 1x CR123	40 Hours
Battery Life on MVP-240	240 Hours
External Power Supply	4VDC 15VDC
Environmental Protection	Waterproof
Dimensions	108x105x70mm
Weight **	465 grams
Operating Temperature	-40°C +50°C
Made In Canada	ITAR-Free

[‡] Specifications are presented for optical-electronic-mechanic assemblies only and do not include technical characteristics of image intensifier tubes.
 ^{‡†} Field Of View (FOV) values are valid if the system is equipped with an 18mm Image Intensifier Tube

* Batteries not included ** Weight of the unit excludes an IIT due to its weight variations. Typical weight of an IIT is between 70 and 85 grams as per IIT manufacturers' specifications.






PHOTONIS

ECHO and 4G are the registered trademarks of Photonis Technologies S.A.S.



PVS-31C-MOD



OFF OFF

DISTINCTIVE FEATURES



Selective Channel Engagement


Swiveling a Night Vision Channel Up Disengages It: PVS-31C-MOD Can Effectively Become Single-Eye Goggle System.



Extended Range Observation PVS-31C-MOD Accepts Afocal Objective Lenses with 3X and 5X Optical Magnification that are Attached to the Existing 1X Lenses.



Along with conventional AA and CR123 Batteries PVS-31C-MOD Can be Powered From External Power Sources Such as USB Power Banks and 12V Car Power Supply.



Stow Safety Feature

If Activated, The SSF Feature Shuts Off the Unit once it is Stowed and Powers the Unit Back Up when it is Returned Back to the Horizontal Position. SSF is Used to Stay Covert in Night-Time Operations.

ange without prior notice by the sc ctronics. Dimensions of the produc



PVS-31C-MOD


DISTINCTIVE FEATURES (CONTINUED)

Compatibility with Head Gears and Helmet Mounts

PVS-31C-MOD is available with Dovetail and Bayonet style mounts.



Momentary IR-On Button Allows to Instantly Engage IR Illuminator to Quickly Illuminate a Certain Area or Send a Morse-Code Signal to a Team Member.





PVS-31C-MOD

STANDARD EQUIPMENT: WHAT'S IN THE BOX

1Dual-Tube Night Vision Goggles with Bayonet or Dovetail Bracket Installed2Rubber Eyecups (2pcs Installed on the device) with Retaining Rings (2pcs)3Sacrificial Window (2pcs)4Stow Safety Feature (Integrated)5AA Battery Extension Adapter (Installed on the device)6Rubber Daytime Filter with Training Hole (Installed on the device)7Adjustment Kit: Allen Key + Mini-Wrench8USB Power Cable9Neck Cord10Soft Carrying Pouch11User Manual127-Year Warranty with Activation Form13Cleaning Kit (3-in-1 Multi-Pen + Cleaning Cloth)		STANDARD EQUITIMENT: WHAT STIN THE BOX
 3 Sacrificial Window (2pcs) 4 Stow Safety Feature (Integrated) 5 AA Battery Extension Adapter (Installed on the device) 6 Rubber Daytime Filter with Training Hole (Installed on the device) 7 Adjustment Kit: Allen Key + Mini-Wrench 8 USB Power Cable 9 Neck Cord 10 Soft Carrying Pouch 11 User Manual 12 7-Year Warranty with Activation Form 	1	Dual-Tube Night Vision Goggles with Bayonet or Dovetail Bracket Installed
 4 Stow Safety Feature (Integrated) 5 AA Battery Extension Adapter (Installed on the device) 6 Rubber Daytime Filter with Training Hole (Installed on the device) 7 Adjustment Kit: Allen Key + Mini-Wrench 8 USB Power Cable 9 Neck Cord 10 Soft Carrying Pouch 11 User Manual 12 7-Year Warranty with Activation Form 	2	Rubber Eyecups (2pcs Installed on the device) with Retaining Rings (2pcs)
 AA Battery Extension Adapter (Installed on the device) Rubber Daytime Filter with Training Hole (Installed on the device) Adjustment Kit: Allen Key + Mini-Wrench USB Power Cable Neck Cord Soft Carrying Pouch User Manual 7-Year Warranty with Activation Form 	3	Sacrificial Window (2pcs)
 Rubber Daytime Filter with Training Hole (<i>Installed on the device</i>) Adjustment Kit: Allen Key + Mini-Wrench USB Power Cable Neck Cord Soft Carrying Pouch User Manual 7-Year Warranty with Activation Form 	4	Stow Safety Feature (Integrated)
 7 Adjustment Kit: Allen Key + Mini-Wrench 8 USB Power Cable 9 Neck Cord 10 Soft Carrying Pouch 11 User Manual 12 7-Year Warranty with Activation Form 	5	AA Battery Extension Adapter (Installed on the device)
 8 USB Power Cable 9 Neck Cord 10 Soft Carrying Pouch 11 User Manual 12 7-Year Warranty with Activation Form 	6	Rubber Daytime Filter with Training Hole (Installed on the device)
 9 Neck Cord 10 Soft Carrying Pouch 11 User Manual 12 7-Year Warranty with Activation Form 	7	Adjustment Kit: Allen Key + Mini-Wrench
10Soft Carrying Pouch11User Manual127-Year Warranty with Activation Form	8	USB Power Cable
11User Manual127-Year Warranty with Activation Form	9	Neck Cord
12 7-Year Warranty with Activation Form	10	Soft Carrying Pouch
J	11	User Manual
13 Cleaning Kit (3-in-1 Multi-Pen + Cleaning Cloth)	12	7-Year Warranty with Activation Form
	13	Cleaning Kit (3-in-1 Multi-Pen + Cleaning Cloth)

OPTIONAL EQUIPMENT

Α	GSCI-VIVID Lightweight High-Performance Front and Rear Optics (Model Name: PVS-31CL-MOD)
В	Advanced Helmet Mount Harness HMH-1
С	Tactical Infrared Illuminator IR250S. Kit Includes IR250S (850nm), Remote Control, Picatinny
C	Mount
D	3X Magnification Afocal Add-On Objective Lens SL-3: Snap-On or Screw-In
E	5X Magnification Afocal Add-On Objective Lens SL-5: Snap-On or Screw-In
F	Smartphone Camera Adapter CAS-14
G	Universal Multi-Voltage Battery Pack MVP-240
Н	Digital HD Recorder with Built-In Display and Video Output NVR-714-D



Designed, Developed, Manufactured by GSCI Advanced Photonics 120 WHITMORE ROAD, UNIT 20, WOODBRIDGE, ONTARIO, L4L6A5, CANADA WWW.GSCI.NET | GSCI@GSCI.NET | +1.905.850.0990