



# C2C (Mini 0 180)

## Simple, Powerful and Sees More

A Full HD 1080p Wi-Fi camera with an ultra-wide viewing angle of 180° and a magnetic base for simple and quick installation.

### Key Features

**Full  
HD**

1080p



Supports MicroSD card slot,  
up to 128GB



Supports 2.4GHz & 5GHz Wi-Fi  
(IEEE802.11b, 802.11g, 802.11n)



Two-way audio



True Day/Night camera with  
auto-switching. Infrared night  
vision up to 7.5 meters.



## Easy installation

---

The C2C (Mini O 180) comes with a magnetic base and mounting kit for easy installation on walls or ceilings. Once set up, you can manually adjust it to cover just about any angle you need.



## Full HD 1080p video with an ultra-wide-angle lens

---

The C2C (Mini O 180) delivers Full HD 1080p video, and with a 180° ultra-wide-angle lens, it covers a wider range of space, so you can keep an eye on what's valuable to you.



# Keep them safe, day and night

When it's dark, the C2C (Mini O 180) automatically switches to night vision mode for around-the-clock Full HD video coverage. The lens is equipped with infrared lights providing night vision up to 7.5 meters.




# Instant alerts (manual activation required)

The C2C (Mini O 180) watches for movement. It will take a picture and send alerts to your smartphone when it detects motions.



# Two-way audio

The camera comes with a built-in microphone and speaker, enabling two-way audio via the camera and your phone or tablet.



# Specifications Model CS-CV206 (A0-1B2W2FR)

## Camera

Image Sensor	1/4" 2MP HD Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	1.4mm@ F2.0, view angle: 180° (Horizontal), 115°(Vertical)
Lens Mount	M12
Day & Night	IR-cut filter with auto-switching
DNR	3D DNR
WDR	Digital WDR

## Compression

Video Compression	H.264
H.264 Type	Main Profile
Video Bit Rate	HD, Balanced and Smooth. Adaptive bit rate.

## Image

Max. Resolution	1920×1080
Image Settings	Brightness, contrast, saturation, etc. (configurable via EZVIZ Studio)
BLC	Support

## Network

Storage	Supports MicroSD card (max. 128GB)
Smart Alarm	Motion detection
Wi-Fi Pairing Protocol	SmartConfig (Wi-Fi One-Key Configuration)/AP pairing
Interface Protocol	EZVIZ Cloud proprietary protocol
General Features	Anti-Flicker, Dual-Stream, Heartbeat Messages, Mirror Image, Password Protection, Watermark
Minimum Network Requirements	2Mbps

## Wi-Fi

Standard	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz, 5.1GHz~5.8GHz
Channel Bandwidth	Supports 20MHz
Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Transmission Rate	11b: 11Mbps, 11g: 54Mbps, 11n: 150Mbps, 11ac: 300Mbps

## General

Power Supply	DC 5V±10%
Power Consumption	MAX. 5W
IR Range	MAX. 7.5 meters
Product Dimensions	128mm x 58mm x 38mm (0.42ft x 0.19ft x 0.12ft)
Packaging Dimensions	175mm x 97mm x 88mm
Weight	0.284 lb (129g)

## Package Contents:

- C2C (Mini O 180) X 1
- 3 Meters USB Cable X 1
- Power Adapter X 1
- Foam Sticker X 2
- Metal Plate (3.5mm Hole Diameter) X 1
- Quick Start Guide X 1

## Requirements

- Operating Conditions: -10°C ~ 45°C, Humidity 95% or less (non-condensing)

## Certificates

FCC/UL/IC/NOM/CE/RoHS/WEEE/REACH

Specifications are subject to change without notice. EZVIZ is a registered trademark of Hangzhou EZVIZ Network Co., Ltd.  
Other brands and product names are trademarks or registered trademarks of their respective holders.

<https://www.ezvizlife.com/>